

Dear Customers,

TRANSPOLIS SAS makes continuous improvements to its products. This guideline gives explanations and clarifications about safety instructions for APTS sensors.

We remain at your disposal if you need any additional information.

Best regards

ROHS COMPLIANCE

Compliance to RoHS 3 directive (2015/863/CE)

ELECTRICAL HAZARD

There are no electrical hazards.

CHEMICAL HAZARD

The bladder is filled with white mineral oil. In case of mechanical damage or leakage of the bladder, some oil can seep out of the elastomer shell. The safety information of the oil is indicated below.

Product identifier

CAS No.:	8042-47-5
EINECS No.:	232-455-8
REACH Registration No.:	None assigned
EC Hazard Classification Regulation:	Not Classified
%W/W	100

Relevant identified uses of the substance or mixture and advice against use

Uses advised against:	None
-----------------------	------

First Aid Measures

- Inhalation: IF INHALED: Place victim in fresh air and keep in rest position which is comfortable for breathing. Unlikely to be hazardous by inhalation because of the low vapour pressure of the material at ambient temperature. Get medical advice/attention if you feel unwell.
- Skin Contact: IF ON SKIN: Wash affected skin with soap and water. If irritation develops and persists, get medical attention. Wash contaminated clothing before re-use. Hot/molten product: In case of burns, immediately cool affected skin as long as possible with cold water.
- Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if possible and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. If hot product is splashed into the eye, it should be cooled immediately to dissipate heat, under cold running water.
- Ingestion: IF SWALLOWED: rinse mouth. DO NOT induce vomiting. Do not give milk or alcoholic beverages. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Obtain medical attention if symptoms appear or if large quantities have been swallowed.

TRANSPOLIS SAS

620 route des Fromentaux – 01500 SAINT MAURICE-DE-REMENS / France

+33 (0) 474 34 00 22 – apts@transpolis.fr – <https://transpolis.fr>

RCS Bourg-en-Bresse 537 689 523 – TVA FR00 537 689 523

© TRANSPOLIS SAS - Rev. September 2022 / subject to change without notice

FIRE-FIGHTING MEASURES

Extinguishing media

- Suitable Extinguishing Media: As appropriate for surrounding fire. Extinguish preferably with foam, carbon dioxide or dry chemical.
- Unsuitable extinguishing Media: Do not use water jet. Direct water jet may spread the fire. Water extinguishers may cause frothing.

Special hazards arising from the substance or mixture

Combustion will evolve toxic, irritant and flammable vapours. Thermal decomposition will evolve toxic and flammable vapours. Oxides of carbon and Acrid smoke. Will float and can be reignited on surface water.

Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Do not allow run-off from fire fighting to enter drains or water courses.

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Evacuate area. Shut off leaks if without risk. Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Avoid breathing mist/vapours/spray. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8. Ensure adequate ventilation. Caution - spillages may be slippery.

Environmental precautions

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Will float and can be reignited on surface water.

Methods and material for containment and cleaning up

Contain spillages. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Ventilate the area and wash spill site after material pick-up is complete.

HANDLING AND STORAGE

Precautions for safe handling

Ensure adequate ventilation. Avoid breathing mist/vapours/spray. In case of inadequate ventilation wear respiratory protection. Use personal protective equipment as required. See Section: 8. Avoid contact with skin, eyes or clothing. Avoid splashing. Avoid generation of mist (May be flammable). Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed, in a cool, well ventilated place. Keep away from heat, sources of ignition and direct sunlight.

- Storage temperature : Store at temperatures not exceeding (°C) : 49
- Storage life : Stable under normal conditions.
- Incompatible materials : Avoid contact with: Strong oxidising agents (e.g. liquid chlorine and oxygen), Strong Acids and Alkalis.

Specific end use(s) Release Agent

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

- Occupational Exposure Limits : Not established.
- Biological limit value : Not established.

TRANSPOLIS SAS

620 route des Fromentaux – 01500 SAINT MAURICE-DE-REMENS / France

+33 (0) 474 34 00 22 – apts@transpolis.fr – <https://transpolis.fr>

RCS Bourg-en-Bresse 537 689 523 – TVA FR00 537 689 523

© TRANSPOLIS SAS - Rev. September 2022 / subject to change without notice

- PNECs and DNELs : Not established.

Exposure controls - Appropriate engineering controls

Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Guarantee that the eye flushing systems and safety showers are located close to the working place.

Individual protection measures, such as personal protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Avoid breathing mist/vapours/spray. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke at the work place.


Eye/face protection

Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).


Skin protection

Hand protection: Prolonged exposure - Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Body protection: Wear work clothes with long sleeves.

When dealing with heated material: Heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots.


Respiratory protection

Respiratory protection is not necessary if room is well ventilated. In case of inadequate ventilation wear respiratory protection. Open system(s): Wear suitable respiratory protective equipment.

Thermal hazards

When dealing with heated material: Heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots. Avoid splashing.

Environmental Exposure Controls Avoid release to the environment.

PHYSICAL AND CHEMICAL PROPERTIES
Information on basic physical and chemical properties

Appearance	Colourless liquid
Odour	Odourless
Odour Threshold	Not available.
pH	Not established.
Melting Point/Freezing Point	-9 °C
Initial boiling point and boiling range	302 - 427 °C
Flash point	185 °C
Evaporation Rate	Not available.
Flammability (solid, gas)	Non-flammable
Upper/lower flammability or explosive limits	Flammable Limits (Upper) (%v/v): 1.0 Flammable Limits (Lower) (%v/v): 7.0

TRANSPOLIS SAS

620 route des Fromentaux – 01500 SAINT MAURICE-DE-REMENS / France

+33 (0) 474 34 00 22 – apts@transpolis.fr – <https://transpolis.fr>

RCS Bourg-en-Bresse 537 689 523 – TVA FR00 537 689 523

© TRANSPOLIS SAS - Rev. September 2022 / subject to change without notice

Vapour pressure	< 0.1 mm Hg @ 21.1 °C
Vapour density	> 10 (Air = 1)
Relative density	0.85 (H ₂ O = 1)
Solubility(ies)	Negligible (Water)
Partition coefficient: n-octanol/water	Not established.
Auto-ignition temperature	Not established.
Decomposition Temperature	Not established.
Viscosity	350 SUS @ 37.8°C (≈ 75 mm ² /s)
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

Other information

Volatile Organic Compound Content : 0%

STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Combustion or thermal decomposition will evolve toxic and irritant vapours.

Conditions to avoid

Store at temperatures not exceeding (°C): 49. Keep away from heat, sources of ignition and direct sunlight. Avoid splashing. Avoid generation of mist (May be flammable).

Incompatible materials

Avoid contact with: Strong oxidising agents (e.g. liquid chlorine and oxygen), Strong Acids and Alkalis.

Hazardous decomposition product(s) Thermal decomposition will evolve toxic and flammable vapours. Carbon monoxide, Carbon dioxide and Acrid smoke.

TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity

Ingestion Based on available data, the classification criteria are not met.
Acute Toxicity Estimate Mixture Calculation: > 2000 mg/kg bw/day

Inhalation Based on available data, the classification criteria are not met.
Acute Toxicity Estimate Mixture Calculation: > 20 mg/l

Skin Contact Based on available data, the classification criteria are not met.
Acute Toxicity Estimate Mixture Calculation: > 2000 mg/kg bw/day

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

TRANSPOLIS SAS

620 route des Fromentaux – 01500 SAINT MAURICE-DE-REMENS / France

 +33 (0) 474 34 00 22 – apts@transpolis.fr – <https://transpolis.fr>

RCS Bourg-en-Bresse 537 689 523 – TVA FR00 537 689 523

© TRANSPOLIS SAS - Rev. September 2022 / subject to change without notice

STOT - repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

Other information

None.

ECOLOGICAL INFORMATION

Toxicity

Based on available data, the classification criteria are not met.
Estimated LC50 (96 hour) > 100 mg/l (Fish)

Persistence and degradability

Inherently biodegradable.

Bioaccumulative potential

No data.

Mobility in soil

The substance has low mobility in soil. Poorly water soluble product

Results of PBT and VPvB assessment

Not classified as PBT or vPvB.

Other adverse effects

None known.

DISPOSAL CONSIDERATIONS

Waste treatment methods

Avoid release to the environment. Dispose of this material and its container as hazardous waste (2008/98/EEC). Containers of this material may be hazardous when empty since they retain product residue.

Additional Information

Dispose of contents in accordance with local, state or national legislation.

TRANSPORT INFORMATION

ADR/RID / IMDG / IATA/ICAO

UN number

None assigned.

UN proper shipping name

Not applicable.

Transport hazard class(es)

Not applicable.

Packing group

Not applicable.

Environmental hazards

Not classified as a Marine Pollutant.

Special precautions for user

See Section: 2

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Additional Information

None.

REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

- **EU regulations**

Substance(s) of Very High Concern (SVHCs) None

Authorisations and/or Restrictions On Use None

TRANSPOLIS SAS

620 route des Fromentaux – 01500 SAINT MAURICE-DE-REMENS / France

+33 (0) 474 34 00 22 – apts@transpolis.fr – <https://transpolis.fr>

RCS Bourg-en-Bresse 537 689 523 – TVA FR00 537 689 523

© TRANSPOLIS SAS - Rev. September 2022 / subject to change without notice

- **National regulations**
Wassergefährdungsklasse (Germany) Water hazard class: 1

Chemical Safety Assessment Not available.

OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Existing ECHA registration(s) for White Mineral Oil (CAS# 8042-47-5).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Not classified	Existing ECHA registration for White Mineral Oil

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available